

**AMENDMENTS TO THE CLAIMS**

This listing of claims will replace all prior versions, and listings, of claims in the application.

**Listing of Claims:**

1. (Currently Amended) An electrophoresis method comprising:  
preparing a sample consisting essentially of a protein to be tested dissolved in water; and  
subjecting the sample to electrophoresis in an electrophoresis buffer having a pH of 2.0 to  
9.0 for size separation without a heat-denaturing treatment, wherein said  
electrophoresis is selected from the group consisting of capillary electrophoresis,  
microchip electrophoresis and nano-channel electrophoresis.

2. (Cancelled).

3. (Previously Presented) The electrophoresis method according to claim 1, wherein two or more molecular weight markers are subjected to electrophoresis together with the protein, wherein at least one of the markers is adjusted to a low concentration as compared to a standard concentration, wherein the standard concentration is a concentration of the molecular weight marker that is recommended by the manufacturer or a general protocol in accordance with the kind of electrophoretic apparatus, the detection limit, the detection sensitivity and determination accuracy of the electrophoretic apparatus.

4. (Previously Presented) The electrophoresis method according to claim 1, further comprising two or more molecular weight markers are subjected to electrophoresis together with the protein, wherein one of the markers is adjusted to a concentration of 1/10 to 10 times the concentration of the protein to be tested.

5. (Cancelled).

6. (Currently Amended) An electrophoresis method comprising:  
preparing a sample solution comprising a protein dissolved in a liquid component  
consisting essentially of water; and  
subjecting the sample to electrophoresis in an electrophoresis buffer having a pH of 2.0 to  
9.0 for size separation without a heat-denaturing treatment, wherein said  
electrophoresis is selected from the group consisting of capillary electrophoresis,  
microchip electrophoresis and nano-channel electrophoresis.

7. (Previously Presented) The method according to claim 1, wherein said pH is 6.8 to 8.6.

8. (Previously Presented) The method according to claim 6, wherein said pH is 6.8 to 8.6.